


84



A white glass molil is captured inside a fine copper mesh basket and then plunged into hot clear glass. Air is blown into the matrix to gently push the white glass through the mesh, creating a delicate pillowed form that is suspended inside the thick outer layer of clear glass.

Sometimes the copper mesh basket folds and crinkles, adding specificity to each piece. Undulations in the exterior shape are a natural consequence of the fabrication process and accentuate the gentle white pillowing below.

A low-voltage xenon or LED light source is introduced into the piece, casting a warm coppery hue.





84 Series

Lamping

1w or 10w xenon

Material

Blown glass, copper mesh, braided metal coaxial cable, electrical components, and white canopy

Patent

US Patent Pending

EU Patent # 003611144-0001 to 0004




LOW VOLTAGE LUMINAIRE
E478186



Wall and Ceiling


Random Adjustable length




Adjustable up to 3000 mm standard

Adjustable up to 30500 mm custom


84s



84sp




84s Brass



Random

Non-adjustable length



Non-adjustable length up to 3000 mm standard

Non-adjustable length up to 30500 mm custom


Adjustable length

84.3



Ø152

84.7



Ø203

Adjustable up to 3000 mm standard
Adjustable up to 30500 mm custom


Non-adjustable length

84.13




Ø400

84.19





Ø501

84.37



Ø600

84.61



Ø707

Non-adjustable length up to 3000 mm standard
Non-adjustable length up to 30500 mm custom

Table Light

84t




Ø75

84 Series — Cluster Column


Adjustable length

84.3



Ø152

84.7




Ø203

Adjustable up to 3000 mm standard

Adjustable up to 30500 mm custom



Non-adjustable length

84.13





Ø400

84.19





Ø501

84.37



Ø600

84.61



Ø707

Non-adjustable length up to 3000 mm standard

Non-adjustable length up to 30500 mm custom

Suspended


Cable lengths: 3 m / 6 m / 15 m

84.3 suspended short

0.9m


84.3 suspended tall

1.8m



84.6 suspended

1.8m



Ceiling mounted

84.3 short

0.9m

84.3 tall

1.8m

84.6


1.8m

84.9

2.7m


84.12

3.7m



Floor

Column





84 Series — Lamp options



3500K LED



2500K LED

BOCCI

84 Series — Table Light



BOCCI

84 Series — Cluster





BOCCI

84 Series — Random



